

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Rescal BB AAA
CAS-No. : Mixture
Product code : 7410
Other means of identification : Alumina-Silicate Brick

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Brick
Recommended use : Industrial use

1.3. Supplier

Resco Products, Inc.
One Robinson Plaza, Suite 300
6600 Steubenville Pike
Pittsburgh, PA, 15205
United States
T 412-494-4491
SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300
Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Carcinogenicity Category 1A H350 May cause cancer (Inhalation, Dust when sawing or tear out)
Specific target organ toxicity – Single exposure, Category 3, H335 May cause respiratory irritation
Respiratory tract irritation
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H350 - May cause cancer (Inhalation, Dust when sawing or tear out)
May dry/chap skin.
Dust from sawing or tear out may irritate eye.
Precautionary statements (GHS US) : P260 - Do not breathe dust.
P280 - Wear Safety shoes, protective gloves, eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|------------|---------------------|---------|-----------------------|
| crystalite | CAS-No.: 14464-46-1 | 20 – 50 | Carc. 1A, H350 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person.
First-aid measures after inhalation : Allow affected person to breathe fresh air.

Rescal BB AAA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------------------|--|
| First-aid measures after skin contact | : Gently wash with plenty of soap and water. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. |

4.2. Most important symptoms and effects (acute and delayed)

| | |
|---|--|
| Potential Adverse human health effects and symptoms | : Dust when sawing or tear out. Danger of serious damage to health by prolonged exposure through inhalation. |
| Symptoms/effects after inhalation | : Dust when sawing or tear out. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. |
| Symptoms/effects after skin contact | : Slight irritation. |
| Symptoms/effects after eye contact | : Dust from sawing or tear out may irritate eye. |

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : In case of fire, all extinguishing media allowed. |

5.2. Specific hazards arising from the chemical

| | |
|-------------|------------------|
| Fire hazard | : Not flammable. |
|-------------|------------------|

5.3. Special protective equipment and precautions for fire-fighters

| | |
|---------------------------|--|
| Firefighting instructions | : Fight fire with normal precautions from a reasonable distance. |
|---------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
|----------------------|--|

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---------------------|
| Methods for cleaning up | : Collect spillage. |
|-------------------------|---------------------|

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Wear Safety shoes, Gloves. Do not handle until all safety precautions have been read and understood. |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|---|
| Storage conditions | : Store this product in a dry location where it can be protected from the elements. |
|--------------------|---|

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Rescal BB AAA (Mixture)

No additional information available

crystalite (14464-46-1)

USA - ACGIH - Occupational Exposure Limits

| | |
|---------------|---|
| ACGIH OEL TWA | 0.025 mg/m ³ respirable dust |
|---------------|---|

USA - OSHA - Occupational Exposure Limits

| | |
|--------------------|--|
| OSHA PEL (TWA) [1] | 0.05 mg/m ³ respirable dust |
|--------------------|--|

8.2. Appropriate engineering controls

| | |
|----------------------------------|---|
| Appropriate engineering controls | : Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations. |
|----------------------------------|---|

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear protective gloves.

Rescal BB AAA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|----------------------------|
| Eye protection: | |
| Chemical goggles or safety glasses | |
| Skin and body protection: | |
| Safety shoes. Wear suitable protective clothing | |
| Respiratory protection: | |
| Dust when sawing or tear out. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended | |
| SECTION 9: Physical and chemical properties | |
| 9.1. Information on basic physical and chemical properties | |
| Physical state | : Solid |
| Appearance | : Tan Colored Brick Shape. |
| Color | : light brown |
| Odor | : None |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : > 2000 °F |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : ≈ 2.7 |
| Solubility | : Insoluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| 9.2. Other information | |
| No additional information available | |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| None known. | |
| 10.2. Chemical stability | |
| Stable under normal conditions. | |
| 10.3. Possibility of hazardous reactions | |
| No additional information available | |
| 10.4. Conditions to avoid | |
| No additional information available | |
| 10.5. Incompatible materials | |
| No additional information available | |
| 10.6. Hazardous decomposition products | |
| No additional information available | |
| SECTION 11: Toxicological information | |
| 11.1. Information on toxicological effects | |
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Not classified |
| crystalite (14464-46-1) | |
| pH | 6 – 7 |

Rescal BB AAA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Not classified

crystalite (14464-46-1)

| | |
|----|-------|
| pH | 6 – 7 |
|----|-------|

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer (Inhalation, Dust when sawing or tear out).
Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Potential Adverse human health effects and symptoms : Dust when sawing or tear out. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after inhalation : Dust when sawing or tear out. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.
Symptoms/effects after skin contact : Slight irritation.
Symptoms/effects after eye contact : Dust from sawing or tear out may irritate eye.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

crystalite (14464-46-1)

| | |
|-------------------------------|--------------------------|
| Persistence and degradability | Mineral. Not applicable. |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

12.3. Bioaccumulative potential

crystalite (14464-46-1)

| | |
|---------------------------|--------------------|
| Bioaccumulative potential | No data available. |
|---------------------------|--------------------|

12.4. Mobility in soil

crystalite (14464-46-1)

| | |
|----------------|--------------------|
| Ecology - soil | No data available. |
|----------------|--------------------|

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Rescal BB AAA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

crystalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Rescal BB AAA (Mixture)

| | |
|--|--|
| U.S. - California - Proposition 65 - Other information | This product contains crystalline silica, a chemical known to the State of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov |
|--|--|

crystalite (14464-46-1)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|----------------------------------|-------------------------------------|
| Yes | No | No | No | | |

Component

Crystalite (14464-46-1)

State or local regulations

U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/17/2024

Other information : Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-phrases

| | |
|------|----------------------------------|
| H335 | May cause respiratory irritation |
| H350 | May cause cancer |

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.