

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/15/2018 Revision date: 8/13/2024 Supersedes: 9/13/2021

# **SECTION 1: Identification**

### 1.1. Identification

Product form Mixture Product name Rescomag 85-C CAS-No. Mixture Product code

Other means of identification Magnesia - Alumina Spinel Brick

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture Refractory Brick Recommended use : Industrial use

#### 1.3. Supplier

Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 **United States** T 412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

# 1.4. Emergency telephone number

: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Emergency number

Outside USA & Canada +1 703-741-5970

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation

Specific target organ toxicity - Single exposure, Category 3, H335 May cause respiratory irritation from dust in sawing or tear out

Respiratory tract irritation operations.

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) Warning

Hazard statements (GHS US) Dust from sawing or tear out may irritate eye.

H315 - Causes skin irritation

H335 - May cause respiratory irritation from dust in sawing or tear out operations.

Precautionary statements (GHS US) P280 - Wear Safety shoes, protective gloves, eye protection.

# 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

No additional information available

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                         | Product identifier | %       | GHS US classification |
|------------------------------|--------------------|---------|-----------------------|
| Magnesium Oxide              | CAS-No.: 1309-48-4 | 75 – 95 | Not classified        |
| aluminium oxide, non-fibrous | CAS-No.: 1344-28-1 | 5 – 10  | Not classified        |

Full text of hazard classes and H-statements: see section 16

### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation Dust when sawing or tear out. Allow affected person to breathe fresh air.

First-aid measures after skin contact Gently wash with plenty of soap and water.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

8/13/2024 (Revision date) EN (English US) 1/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion : Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Safety shoes. Protective gloves. Safety glasses. Emergency procedures : Avoid contact with skin. Avoid contact with eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

#### 6.2. Environmental precautions

No additional information available

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : On land, sweep or shovel into suitable containers.

# 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Hygiene measures : Do not eat, drink or smoke when using this product. Wash skin thoroughly with mild soap and

water.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

Incompatible products : Strong acids.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### Rescomag 85-C (Mixture)

No additional information available

# Magnesium Oxide (1309-48-4)

**USA - ACGIH - Occupational Exposure Limits** 

ACGIH OEL TWA 10 mg/m³ inhalable dust
USA - OSHA - Occupational Exposure Limits

OSHA PEL (TWA) [1] 10 mg/m³ respirable dust

aluminium oxide, non-fibrous (1344-28-1)

**USA - ACGIH - Occupational Exposure Limits** 

ACGIH OEL TWA 1 mg/m³ respirable dust

# 8.2. Appropriate engineering controls

Appropriate engineering controls : Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.

# 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Wear protective gloves.

8/13/2024 (Revision date) EN (English US) 2/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Safety shoes. Wear suitable protective clothing

### Respiratory protection:

Dust on tear out. Wear appropriate mask

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid Appearance brick. medium brown Color Odor None

Odor threshold No data available рΗ No data available Melting point > 3000 °F

No data available Freezing point Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not flammable. Vapor pressure No data available Relative vapor density at 20°C No data available

Relative density ≈ 2.9

Solubility Insoluble in water. Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic No data available No data available **Explosion limits** Explosive properties No data available Oxidizing properties No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions of use.

# 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

| <b>Magnesium</b> | Oxide | (1309-48-4) |
|------------------|-------|-------------|
|------------------|-------|-------------|

| magnosium exiac (1000 10 1) |   |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|
| LD50 oral rat               | > 5000 mg/kg (Rat, Literature study, Oral)                  |  |  |  |  |  |
| LD50 dermal rabbit          | > 2000 mg/kg body weight (Rabbit, Literature study, Dermal) |  |  |  |  |  |

8/13/2024 (Revision date) EN (English US) 3/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| aluminium avida non fibraua (4244-29-4)                    |  |
|--|--|
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| LD50 oral rat  | > 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))           |
| LC50 Inhalation - Rat                                      | > 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s)) |
| Skin corrosion/irritation :                                | Causes skin irritation.  |
| Magnesium Oxide (1309-48-4)                                |  |
| рН   | 11 (10 %)  |
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| рН   | 9 – 10.5 (aqueous suspension, 33 %)  |
| Serious eye damage/irritation :                            | Not classified   |
| Magnesium Oxide (1309-48-4)                                |  |
| рН   | 11 (10 %)  |
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| рН   | 9 – 10.5 (aqueous suspension, 33 %)  |
|  | Not classified   |
| Germ cell mutagenicity :                                   | Not classified   |
| Carcinogenicity : Reproductive toxicity :                  | Not classified Not classified  |
| STOT-single exposure :                                     | May cause respiratory irritation from dust in sawing or tear out operations.   |
| STOT-repeated exposure :                                   | Not classified   |
| Aspiration hazard :  | Not classified   |
|  | No data available  |
| Magnesium Oxide (1309-48-4)                                |  |
| Viscosity, kinematic                                       | Not applicable (solid)   |
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| Viscosity, kinematic                                       | Not applicable (solid)   |
|  | May cause respiratory irritation.  |
| SECTION 12: Ecological information                         |  |
| 12.1. Toxicity   |  |
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| LC50 - Fish [1]  | > 100 mg/l (96 h, Salmo trutta, Literature study)  |
| EC50 - Crustacea [1]                                       | > 100 mg/l (48 h, Daphnia magna, Literature study)   |
| 12.2. Persistence and degradability                        |  |
| Magnesium Oxide (1309-48-4)                                | Med complements  |
| Persistence and degradability Chemical oxygen demand (COD) | Not applicable.  Not applicable  |
| ThOD   | Not applicable  Not applicable   |
| aluminium oxide, non-fibrous (1344-28-1)                   |  |
| Persistence and degradability                              | Not applicable.  |
| Chemical oxygen demand (COD)                               | Not applicable   |
| ThOD   | Not applicable   |
| 12.3. Bioaccumulative potential                            |  |
| Magnesium Oxide (1309-48-4)                                | Na hisasayay lating data ayallahla   |
| Bioaccumulative potential                                  | No bioaccumulation data available.   |
| aluminium oxide, non-fibrous (1344-28-1)                   | No data quallable  |
| Bioaccumulative potential                                  | No data available.   |
| 12.4. Mobility in soil                                     |  |
| Magnesium Oxide (1309-48-4)                                | Mr. data and Sakla Sa the Planeton   |
| Surface tension Ecology - soil                             | No data available in the literature  No data available.  |
| Louiogy - soil   | INU UAIA AVAIIAUIC.  |

8/13/2024 (Revision date) EN (English US) 4/5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| No data available in the literature |
|-------------------------------------|
| No data available.                  |
|                                     |

### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

# 15.2. International regulations

### **CANADA**

### Magnesium Oxide (1309-48-4)

Listed on the Canadian DSL (Domestic Substances List)

### aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

**EU-Regulations** 

No additional information available

**National regulations** 

No additional information available

| ā | r. | _  |   | п | 0 | 0 |    | 4- |    |    | .1. | 48 | _ |    |
|---|----|----|---|---|---|---|----|----|----|----|-----|----|---|----|
|   | H. | ж, | м | U | 0 | - | ĸП | ш  | re | αu | IIF | ш  | O | ns |

| roioi oo otato rogalationo               |  |
|--|--|
| Component                                | State or local regulations   |
| Magnesium Oxide (1309-48-4)              | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |
| aluminium oxide, non-fibrous (1344-28-1) | U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List |

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 8/13/2024

Other information : Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

| Full text of H-phrases |                                  |  |  |  |  |
|------------------------|----------------------------------|--|--|--|--|
| H315                   | Causes skin irritation           |  |  |  |  |
| H335                   | May cause respiratory irritation |  |  |  |  |

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

8/13/2024 (Revision date) EN (English US) 5/5